



ABOUT US

Procut Tool Inc. is the sales and distribution center in the USA for Gang Yan Diamond Tools (Thailand) Company Limited. A worldwide leading manufacturer in the diamond tools industry, Gang Yan Diamond Tools (Thailand) has been trusted by major OEMs, distributors and contractors as their main source of quality diamond cutting tools in the USA and Europe. With our extensive experience and expertise, most technological advanced and automatic manufacturing equipment, patented innovative processes, precise production engineering, and effective quality control system, Procut Tool products consistently meet performance requirements and industry standards, satisfying our customers' needs and demands. Customer satisfaction as well as the product quality are our top priority.



Gang Yan Diamond Thailand Factory



Gang Yan Diamond Thailand Factory



GENERAL PURPOSE


General purpose diamond blades are designed for a variety of light to medium duty application, such as concrete, brick & block.

SG/ GP SERIES



- Good Quality
- General Purpose: concrete, brick, & block
- 2 – 13HP

Item #	Specs	Segment Height
SG40X	4" x .070" x 7/8"-5/8"	10mm
SG45X	4.5" x .070" x 7/8"-5/8"	10mm
SG50X	5" x .070" x 7/8"-5/8"	10mm
SG60X	6" x .070" x 7/8"-5/8"	10mm
SG70X	7" x .085" x DM7/8"-5/8"	10mm
SG80X	8" x .085" x DM7/8"-5/8"	10mm
SG90X	9" x .095" x DM7/8"-5/8"	10mm
SG10X	10" x .110" x DM7/8"-5/8"	10mm
GP12G	12" x .120" x 1"-20mm	14mm
GP12G20	12" x .120" x 20mm	14mm
GP14X	14" x .120" x 1"-20mm	10mm
GP14G	14" x .120" x 1"-20mm	14mm
GP14G20	14" x .120" x 20mm	14mm




SG PREMIUM SERIES



- Best Quality
- Long Life on general purpose: concrete, brick, & block
- 2 -13HP

Item #	Specs	Segment Height
SG40XP	4" x .070" x 7/8"-5/8"	10mm
SG45XP	4.5" x .070" x 7/8"-5/8"	10mm
SG50XP	5" x .070" x 7/8"-5/8"	10mm
SG60XP	6" x .070" x 7/8"-5/8"	10mm
SG70XP	7" x .085" x DM7/8"-5/8"	10mm
SG80XP	8" x .085" x DM7/8"-5/8"	10mm
SG90XP	9" x .095" x DM7/8"-5/8"	10mm
SG10XP	10" x .110" x DM7/8"-5/8"	10mm




GENERAL PURPOSE

TB SERIES



- Good quality
- General purpose: concrete, brick, & block
- Turbo style for smooth cutting

Item #	Specs	Segment Height
TB40X	4" x .080" x 7/8"-5/8"	10mm
TB45X	4.5" x .085" x 7/8"-5/8"	10mm
TB50X	5" x .085" x 7/8"-5/8"	10mm
TB60X	6" x .085" x 7/8"-5/8"	10mm
TB70X	7" x .095" x DM7/8"-5/8"	10mm
TB80X	8" x .100" x DM7/8"-5/8"	10mm
TB90X	9" x .100" x DM7/8"-5/8"	10mm
TB10X	10" x .110" x DM7/8"-5/8"	10mm
TB12X	12" x .110" x 1"-20mm	10mm
TB14X	14" x .125" x 1"-20mm	10mm




TB PREMIUM SERIES



- Best quality
- General purpose: concrete, masonry, brick, & block
- Long life, fast, and smooth cutting

Item #	Specs	Segment Height
TB40XP	4" x .080" x 7/8"-5/8"	10mm
TB45XP	4.5" x .085" x 7/8"-5/8"	10mm
TB50XP	5" x .085" x 7/8"-5/8"	10mm
TB60XP	6" x .085" x 7/8"-5/8"	10mm
TB70XP	7" x .095" x DM7/8"-5/8"	10mm
TB80XP	8" x .100" x DM7/8"-5/8"	10mm
TB10XP	10" x .110" x DM7/8"-5/8"	10mm
TB12XP	12" x .110" x 1"-20mm	10mm
TB14XP	14" x .125" x 1"-20mm	10mm




GENERAL PURPOSE

TS SERIES



- Turbo segmented design
- Long life, good cutting speed, smooth cut
- General purpose for concrete, masonry, pavers, brick & block
- 2 – 13HP

Item #	Specs	Segment Height
TS12I	12" x .125" x 1"-20mm	15mm
TS14I	14" x .125" x 1"-20mm	15mm




ATS SERIES



- Best quality
- Alternating turbo segmented design
- Very fast cutting on general purpose concrete, masonry, pavers, brick & block
- 2 – 13HP

Item#	Description	Segment Height
ATS90F	9" x .100" x 7/8"-5/8"	12mm
ATS12IH	12" x .125" x 1"-20mm	15mm
ATS12IH20	12" x .125" x 20mm	15mm
ATS14IH	14" x .125" x 1"-20mm	15mm
ATS14IH20	14" x .125" x 20mm	15mm
ATS16IH-L	16" x .140" x 1"-20mm	15mm




ATP SERIES



- Good quality
- Featuring T-Shape undercut segment
- Design for roof tile and masonry materials

Item #	Specs	Segment Height
ATP40P	4" x .080" x 7/8"-5/8"	10mm
ATP45P	4.5" x .080" x 7/8"-5/8"	10mm
ATP50P	5" x .085" x 7/8"-5/8"	10mm
ATP70P	7" x .090" x DM7/8"-5/8"	10mm
ATP12P	12" x .125" x 1"-20mm	10mm
ATP14P	14" x .125" x 1"-20mm	10mm




LASER WELDED GENERAL PURPOSE

SW SERIES



- Best quality
- Premium laser welded for general purpose, concrete, and masonry
- Available in 10mm and 12mm segments height
- 2 – 15HP

Item #	Specs	Segment Height
SW40X	4" x .080" x 7/8"-5/8"	10mm
SW45X	4.5" x .080" x 7/8"-5/8"	10mm
SW50X	5" x .080" x 7/8"-5/8"	10mm
SW70X	7" x .090" x DM7/8"-5/8"	10mm
SW10X	10" x .110" x DM7/8"-5/8"	10mm
SW12X	12" x .125" x 1"-20mm	10mm
SW12X20	12" x .125" x 20mm	10mm
SW14X	14" x .125" x 1"-20mm	10mm
SW14X20	14" x .125" x 20mm	10mm
SW20X	20" x .140" x 1"	10mm
SW12F	12" x .125" x 1"-20mm	12mm
SW12F20	12" x .125" x 20mm	12mm
SW14F	14" x .125" x 1"-20mm	12mm
SW14F20	14" x .125" x 20mm	12mm
SW14FN	14" x .125" x 1"-20mm	12mm




SWT SERIES



- Best quality
- Premium turbo segmented design laser welded
- Fast cutting for general purpose, concrete, masonry, pavers, brick, block & fieldstones
- 2 – 15HP

Item #	Specs	Segment Height
SWT14F	14" x .125" x 1"-20mm	12mm
SWT14F20	14" x .125" x 20mm	12mm
SWT16F	16" x .125" x 1"-20mm	12mm




CURED CONCRETE – HARD MATERIALS

CC SERIES



- Best value for concrete, light duty reinforced concrete, brick and pavers
- Laser welded
- 2 – 15HP

Item #	Specs	Segment Height
CC10F	10" x .110" x 1"-20mm	12mm
CC12F	12" x .110" x 1"-20mm	12mm
CC12F20	12" x .110" x 20mm	12mm
CC14F	14" x .125" x 1"-20mm	12mm
CC14F20	14" x .125" x 20mm	12mm
CC16F	16" x .140" x 1"-20mm	12mm
CC16F20	16" x .140" x 1"-20mm	12mm
CC18F	18" x .140" x 1"	12mm
CC20F	20" x .155" x 1"	12mm




LSTS-X SERIES



- Turbo segmented design for more aggressive cutting on hard materials and concrete
- Laser welded
- 2 – 15HP

Item #	Specs	Segment Height
LTS45X	4.5" x .095" x 7/8"-5/8"	10mm
LTS50X	5" x .095" x 7/8"-5/8"	10mm
LTS70X	7" x .095" x DM7/8"-5/8"	10mm
LTS10X	10" x .110" x DM7/8"-5/8"	10mm
LSTS12X	12" x .125" x 1"-20mm	10mm
LSTS14X	14" x .125" x 1"-20mm	10mm
LSTS14X20	14" x .125" x 20mm	10mm
LTS20X	20" x .160" x 1"	10mm




CURED CONCRETE – HARD MATERIALS

WST SERIES



- Split style turbo segmented
- Smooth and fast cutting on concrete and hard materials
- 2 – 15HP

Item #	Specs	Segment Height
WST12FW	12" x .110" x 1"-20mm	12mm
WST14FW	14" x .125" x 1"-20mm	12mm
WST14FW20	14" x .125" x 20mm	12mm




SCC-P SERIES



- Best Quality
- Turbo segmented style diamond blade
- Fast cutting & long life for hard materials, concrete, reinforced concrete, and hard brick
- 15mm segment height
- 2 – 15HP

Item #	Specs	Segment Height
SCC1215P	12" x .125" x 1"-20mm	15mm
SCC1415P	14" x .125" x 1"-20mm	15mm



V-MAX / PDA pro


An innovation of patterned diamond technology, distributing diamond particles precisely in three dimensional (3D) patterns. Through this technology, they are more efficient and durable.

VMH SERIES



- Up to 30% faster cutting speed on hard materials, Reinforced concrete and fieldstones
- Up to 20% longer life
- 2 – 15HP

Item #	Specs	Segment Height
VMH14F	14" x .125" x 1"-20mm	12mm
VMH16F	16" x .140" x 1"-20mm	12mm




PROPRIETARY DIAMOND BLADE

TSA SERIES (ARROW DIAMOND BLADE)



- Supreme quality laser welded
- The Original Arrow turbo segmented style with special formulation, Resulting in smooth cut nearly all hard materials, including reinforced concrete, hard concrete and fieldstones.
- 15mm segment height
- 5 – 18HP




TRADEMARK # 86573711

Item #	Specs	Segment Height
TSA12IH	12" x .120" x 1"-20mm	15mm
TSA14IH	14" x .125" x 1"-20mm	15mm
TSA14IH20	14" x .125" x 20mm	15mm
TSA16IH	16" x .140" x 1"-20mm	15mm
TSA18IH	18" x .160" x 1"	15mm
TSA20IH	20" x .160" x 1"	15mm
TSA24IH	24" x .160" x 1"	15mm

LSF SERIES (SWORDFISH DIAMOND BLADE)



- Supreme quality, laser welded
- It's unique segment's design, create less friction during cutting, resulting in a very fast cutting speed
- 13mm segment height
- Good for reinforced concrete, hard bricks, and fieldstone
- 5 – 18HP



Item #	Specs	Segment Height
LSF14NH	14" x .125" x 1"-20mm	13mm

CURED CONCRETE – WALK BEHIND SAW 35-65HP

CW SERIES



- Semiprofessional diamond blade
- Supreme quality laser welded blade for cured concrete & reinforced concrete
- Featuring full radius undercutting segments
- 20 – 35HP

Item #	Specs	Segment Height
CW14XH	14" x .125" x 1"	10mm
CW14XH20	14" x .125" x 20mm	10mm
CW16XH	16" x .140" x 1"	10mm
CW18XH	18" x .160" x 1"	10mm
CW20XH	20" x .160" x 1"	10mm
CW24XH	24" x .165" x 1"	10mm
CW26XH	26" x .165" x 1"	10mm
CW30XH	30" X .165" X 1"	10mm
CW36XH	36" x .165" x 1"	10mm



CWH SERIES



- Professional quality diamond blade for cured concrete and reinforced concrete
- 65HP

SOFT BOND - 60


Item #	Specs	Segment Height
CWH1412-60	14" x .125" x 1"	10mm
CWH1414-60	14" x .140" x 1"	10mm
CWH1416-60	14" x .165" x 1"	10mm
CWH1425-60	14" x .250" x 1"	10mm
CWH1616-60	16" x .165" x 1"	10mm
CWH1816-60	18" x .165" x 1"	10mm
CWH2016-60	20" x .165" x 1"	10mm
CWH2416-60	24" x .165" x 1"	10mm
CWH2616-60	26" x .165" x 1"	10mm
CWH3016-60	30" x .165" x 1"	10mm
CWH3616-60	36" x .165" x 1"	10mm
CWH3618-60	36" x .187" x 1"	10mm



CURED CONCRETE – WALK BEHIND SAW 35-65HP

MEDIUM BOND – 70

Item #	Specs	Segment Height
CWH1412-70	14" x .125 x 1"	10mm
CWH1414-70	14" x .140 x 1"	10mm
CWH1418-70	14" x .187 x 1"	10mm
CWH1425-70	14" x .250 x 1"	10mm
CWH1616-70	16" x .165 x 1"	10mm
CWH1816-70	18" x .165 x 1"	10mm
CWH2016-70	20" x .165 x 1"	10mm
CWH2018-70	20" x .187 x 1"	10mm
CWH2416-70	24" x .165 x 1"	10mm
CWH2616-70	26" x .165 x 1"	10mm
CWH3016-70	30" x .165 x 1"	10mm
CWH3616-70	36" x .165 x 1"	10mm
CWH3618-70	36" x .187 x 1"	10mm




MASONRY

TS-XP SERIES



- Good quality
- Turbo segmented with slanted key hole gullet
- Good for general purpose and light duty masonry materials

Item #	Specs	Segment Height
TS70XP	7" x .090" x DM7/8"-5/8"	10mm
TS14XP	14" x .125" x 1"-20mm	10mm




LSTR SERIES



- Best quality
- Notched - Segmented design for fast cutting
- General purpose, concrete, masonry, brick & block
- 5 – 15HP

Item #	Specs	Segment Height
LSTR14X	14" x .125" x 1"-20mm	10mm
LSTR14X20	14" x .125" x 20mm	10mm




UB SERIES



- Best quality
- Wide U-Slot gullet
- Aggressive cutting for hard brick
- 5 – 15HP

Item #	Specs	Segment Height
UB14X	14" x .125" x 1"-20mm	10mm
UB20X	20" x .155" x 1"	10mm




ASPHALT – GREEN CONCRETE

AP SERIES



- Good quality
- Best value for performance on asphalt, green concrete, and soft materials
- Feature : undercutting segment
- 5 – 15HP

Item #	Specs	Segment Height
AP12X	12" x .125" x 1"-20mm	10mm
AP14X	14" x .125" x 1"-20mm	10mm




AS SERIES



- Better quality
- Wide U-Slot gullet with undercutting segment
- Good for asphalt and abrasive materials
- Laser welded
- 5 – 15HP

Item #	Specs	Segment Height
AS12F	12" x .125" x 1"-20mm	12mm
AS12F20	12" x .125" x 20mm	12mm
AS14F	14" x .125" x 1"-20mm	12mm
AS14F20	14" x .125" x 20mm	12mm




SAS SERIES



- Best Quality
- Best for asphalt, green concrete, and abrasive materials
- Laser welded
- 5 – 20HP

Item #	Specs	Segment Height
SAS1210	12" x .125" x 1"-20mm	10mm
SAS1210S20	12" x .125" x 20mm	10mm
SAS1410	14" x .125" x 1"-20mm	10mm
SAS1410S20	14" x .125" x 20mm	10mm
SAS1610	16" x .125" x 1"-20mm	10mm




ASPHALT – WALK BEHIND SAW 20 – 35HP

LAS – P SERIES (UP TO 20HP)



- Premium quality
- Narrow gullet with slanted undercutting segments

Item #	Specs	Segment Height
LAS16XP	16" x .140" x 1"	10mm
LAS18XP	18" x .160" x 1"	10mm
LAS20XP	20" x .160" x 1"	10mm




LAS – H SERIES (UP TO 35HP)



- Supreme quality
- Narrow gullet with slanted undercutting segments

Item #	Specs	Segment Height
LAS12XH	12" x .125" x 1"-20mm	10mm
LAS14XH	14" x .125" x 1"-20mm	10mm
LAS16XH	16" x .140" x 1"	10mm
LAS18XH	18" x .160" x 1"	10mm
LAS20XH	20" x .160" x 1"	10mm
LAS24XH	24" x .165" x 1"	10mm
LAS26XH	26" x .165" x 1"	10mm
LAS30XH	30" x .165" x 1"	10mm
LAS36XH	36" x .165" x 1"	10mm



ASPHALT – WALK BEHIND SAW 65HP


AWH SERIES (65HP)



- Professional quality diamond blade
- Good for asphalt, asphalt over concrete

MEDIUM BOND – 40

Item #	Specs	Segment Height
AWH1412-40	14" x .125" x 1"	10mm
AWH1414-40	14" x .140" x 1"	10mm
AWH1416-40	14" x .165" x 1"	10mm
AWH1418-40	14" x .187" x 1"	10mm
AWH1425-40	14" x .250" x 1"	10mm
AWH1616-40	16" x .165" x 1"	10mm
AWH1816-40	18" x .165" x 1"	10mm
AWH2016-40	20" x .165" x 1"	10mm
AWH2416-40	24" x .165" x 1"	10mm
AWH2616-40	26" x .165" x 1"	10mm
AWH3016-40	30" x .165" x 1"	10mm
AWH3616-40	36" x .165" x 1"	10mm
AWH3618-40	36" x .187" x 1"	10mm



HARD BOND – 50

Item #	Specs	Segment Height
AWH1412-50	14" x .125" x 1"	10mm
AWH1414-50	14" x .140" x 1"	10mm
AWH1416-50	14" x .165" x 1"	10mm
AWH1418-50	14" x .187" x 1"	10mm
AWH1616-50	16" x .165" x 1"	10mm
AWH1816-50	18" x .165" x 1"	10mm
AWH2016-50	20" x .165" x 1"	10mm
AWH2416-50	24" x .165" x 1"	10mm
AWH2616-50	26" x .165" x 1"	10mm
AWH3016-50	30" x .165" x 1"	10mm
AWH3616-50	36" x .165" x 1"	10mm
AWH3618-50	36" x .187" x 1"	10mm




EARLY ENTRY GREEN CONCRETE

GC SERIES



- Premium Quality
- Fits on Soff-Cut saws
- Universal Red bond
- Skid plate included



Item #	Specs	Segment Height
GC60X-T	6" x .100" x Triangle arbor	10mm
GC60X-T-SB	6" x .100" x Triangle arbor, PURPLE	10mm
GC65X-T	6" x .100" x Triangle arbor	10mm
GC80X-T	8" x .100" x Triangle arbor	10mm
GC10X-TK	10" x .100" - 1" – Triangle Arbor	10mm
GC12X-TK	12" x .125" - 1" - Triangle Arbor	10mm
GC135X-TK	13.5" x .125" - 1" – Triangle Arbor	10mm




COMBO/ MULTIPURPOSE

LK SERIES – ALL CUT PRO



- Best quality, Supreme grade
- Alternating turbo segmented design with undercutting segments
- 10mm segments height with 13mm undercutting segments
- Very fast cutting
- Good for all construction materials from soft and abrasive to very hard
- Asphalt, block, hard brick, concrete, reinforced concrete, fieldstones
- 5 – 18HP

Item #	Specs	Segment Height
LK70FH	7" x .090" x DM7/8"-5/8"	12mm
LK12FH	12" x .125" x 1"-20mm	12mm
LK12FH20	12" x .125" x 20mm	12mm
LK14FH	14" x .125" x 1"-20mm	12mm
LK14FH20	14" x .125" x 20mm	12mm
LK16FH	16" x .140" x 1"-20mm	12mm
LK18FH	18" x .140" x 1"	12mm
LK20FH	20" x .155" x 1"	12mm
LK24FH	24" x .160" x 1"	12mm



LK70XP*	7" x .090" x DM7/8"-5/8"	10mm
LK14XP*	14" x .125" x 1"-20mm	10mm


*Premium grade

LAC SERIES



- Supreme quality
- Segmented design with undercutting segments
- Good for all construction materials from soft and abrasive to very hard
- Asphalt, block, hard brick, concrete, reinforced concrete, fieldstones
- 5 – 18HP

Item #	Specs	Segment Height
LAC12XH	12 x .125 x 1"-20mm	10mm
LAC12XH20	12 x .125 x 20mm	10mm
LAC14XH	14" x .125 x 1"-20mm	10mm
LAC14XH20	14" x .125 x 20mm	10mm
LAC16XH	16" x .140 x 1"-20mm	10mm
LAC18XH	18" x .140 x 1"	10mm
LAC20XH	20" x .160 x 1"	10mm




COMBO/ MULTIPURPOSE

LSTS-FH SERIES – SUPER COMBO DIAMOND BLADE



- Best quality, supreme grade
- Top performance diamond blade for cutting nearly all construction materials from soft to hard
- Good for asphalt, green concrete, block, concrete, pavers, reinforced concrete, fieldstones
- 12mm segments height, with 15mm undercutting segments
- Turbo segmented design with cooling holes
- This is your “ 1 BLADE FOR EVERYTHING”
- 5 – 20HP

Item #	Specs	Segment Height
LSTS12FH	12" x .125" x 1"-20mm	12mm
LSTS12FH20	12" x .125" x 20mm	12mm
LSTS14FH	14" x .125" x 1"-20mm	12mm
LSTS14FH20	14" x .125" x 20mm	12mm
LSTS16FH	16" x .125" x 1"-20mm	12mm
LSTS16FH20	16" x .125" x 20mm	12mm
LSTS18FH	18" x .140" x 1"	12mm
LSTS20FH	20" x .160" x 1"	12mm
LSTS24FH	24" x .160" x 1"	12mm




TAC SERIES – TURBO ALL CUT



- Best quality
- Turbo rim for smooth cut
- 5 – 13HP

Item #	Specs	Segment Height
TAC40X	4" x .080" x 7/8"-5/8"	10mm
TAC45X	4.5" x .085" x 7/8"-5/8"	10mm
TAC50X	5" x .085" x 7/8"-5/8"	10mm
TAC70X	7" x .095" x DM7/8"-5/8"	10mm
TAC10X	10" x .110" x DM7/8"-5/8"	10mm
TAC12X	12" x .110" x 1"-20mm	10mm
TAC14X	14" x .125" x 1"-20mm	10mm




DUCTILE – RESCUE

LWR SERIES – DUCTILE IRON PIPE



- High quality ductile iron blade
- Electroplated diamond coating on core for beveling
- Turbo segmented design
- Last up to 80 times longer than abrasives

Item #	Specs	Segment Height
LWR12	12" x.125" x 1"-20mm	5mm
LWR14	14" x.125" x 1"-20mm	5mm
LWR14-20	14" x.125" x 20mm	5mm
LWR16	16" x .140" x 1"	5mm




LRC SERIES – METAL CUTTING / RESCUE



- Vacuum brazed technology
- 100X longer life than abrasive wheels
- Less sparks and fast cut
- Excellent for metal framing
- Suitable for angle grinders,
Portable saws and high speed
Hand held saws

Item #	Specs
LRC40	4" x .080" x 7/8"-5/8"
LRC50	5" x .080" x 7/8"-5/8"
LRC70	7" x .090" x DM7/8"-5/8"
LRC12	12" x.125" x 1"- 20mm
LRC14	14" x.125" x 1"-20mm
LRC16	16" x.140" x 1"



METAL CUTTING - GRINDING


LMC SERIES – METAL CUTTING



- Vacuum brazed technology
- 100X longer life than abrasive wheels
- Less smokes and sparks during cutting
- Same cutting depth at all time
- Less chance of breaking than abrasive wheels
- For use on ferrous metals, iron, steel, Stainless steel and rebar

Item #	Specs
LMC40	4" X .050" X 5/8"-3/8" -1/4"
LMC45	4.5" x .050" x 7/8"-5/8"
LMC50	5" x .050" x 7/8"-5/8"
LMC60*	6" x .050" x 7/8"-5/8"
LMC70	7" x .060" x DM7/8"-5/8"
LMC90	9" x .060" x 7/8"-5/8"
LMC12*	12" x .125 x 1"-20mm
LMC14	14" x .125 x 1"-20mm
LMC16*	16" x .140" x 1"-20mm
LMC18*	18" x .140" x 1"
LMC20*	20" x .155" x 1"

*Available on special order




LMGW SERIES – METAL GRINDING



- 200X longer life than abrasive wheels
- Less sparks and dust
- 50% faster speed than abrasive wheels
- Smooth grinding and finishing
- For use on ferrous metals, iron, steel, Stainless steel and rebar

Item #	Specs
LMGW45	4.5" x 5/8"-11




TUCK POINTING

TK SERIES – SOLID TUCK POINT



- Good quality
- Good for cleaning out mortar joints and grout repair

Item #	Specs	Segment Height
TK40SX	4" x .250" x 7/8"-5/8"	10mm
TK45SX	4.5" x .250" x 7/8"-5/8"	10mm
TK50SX	5" x .250" x 7/8"-5/8"	10mm
TK70SX	7" x .250" x DM7/8"-5/8"	10mm




TK-P SERIES – SOLID TUCK POINT



- Best quality, premium grade
- Good for cleaning out mortar joints and grout repair
- Longer life

Item #	Specs	Segment Height
TK40PX	4" x .250" x 7/8"-5/8"	10mm
TK45PX	4.5" x .250" x 7/8"-5/8"	10mm
TK50PX	5" x .250" x 7/8"-5/8"	10mm
TK70PX	7" x .250" x DM7/8"-5/8"	10mm




TKS SERIES – SANDWICH TUCK POINT



- Good quality
- Fast cutting for cleaning out mortar joints and grout repair

Item #	Specs	Segment Height
TKS40SX	4" x .250" x 7/8"-5/8"	10mm
TKS45SX	4.5" x .250" x 7/8"-5/8"	10mm
TKS50SX	5" x .250" x 7/8"-5/8"	10mm




TUCK POINTING

TKS-P SERIES – SANDWICH TUCK POINT



- Best quality, premium grade
- Fast cutting for cleaning out mortar joints and grout repair
- Longer life

Item #	Specs	Segment Height
TKS40PX	4" x .250" x 7/8"-5/8"	10mm
TKS45PX	4.5" x .250" x 7/8"-5/8"	10mm
TKS50PX	5" x .250" x 7/8"-5/8"	10mm



TKT-P SERIES – TRIPLE SANDWICH TUCK POINT



- .375" thickness
- Best quality, premium grade
- Fast cutting for cleaning out mortar joint and grout repair
- Longer life

Item #	Specs	Segment Height
TKT45PX	4.5" x .375" x 7/8"-5/8"	10mm
TKT50PX	5" x .375" x 7/8"-5/8"	10mm




TKG SERIES – BLUE BULLET TUCK POINT



- 12mm segment height
- Aggressive design, very fast cutting for mortar joint removal, old mortar
- Premium quality

Item #	Specs	Segment Height
TKG40PF	4" x .250 x 7/8-5/8	12mm
TKG45PF	4.5" x .250 x 7/8-5/8	12mm
TKG50PF	5" x .250 x 7/8-5/8	12mm
TKG70PF	7" x .250 x DM7/8-5/8	12mm




CRACK CHASER

STK SERIES – V-SHAPED SEGMENT



- Best quality
- 12mm segment heights
- V-Shaped segment
- Cleaning out cracks on concrete

Item #	Specs	Segment Height
STK40-375T	4" x .375" x 5/8"-11	12mm
STK40-375	4" x .375" x 5/8"-7/8"	12mm
STK50-375	5" x .375" x 7/8"-5/8"	12mm
STK70-375	7" x .375" x DM7/8"-5/8"	12mm
STK80-375	8" x .375" x 7/8"-5/8"	12mm



WET CORE BIT

CBN SERIES



- Good quality
- Concrete, light duty to medium duty
- Crown segments (1" to 1-3/4"), laser welded (2" to 9")
- 14 inch tube

Item #	Specs	Segment Height
CB1	1" x .135" x 5/8"-11, crowned	10mm
CB1-1/4	1.25" x .135" x 5/8"-11, crowned	10mm
CB1-1/2	1.5" x .135" x 5/8"-11, crowned	10mm
CB1-3/4	1.75" x .135" x 5/8"-11, crowned	10mm
CBN2	2" x .160" x 1-1/4" - 7	10mm
CBN2-1/2	2.5" x .160" x 1-1/4" - 7	10mm
CBN3	3" x .160" x 1-1/4" - 7	10mm
CBN3-1/2	3.5" x .160" x 1-1/4" - 7	10mm
CBN4	4" x .160" x 1-1/4" - 7	10mm
CBN4-1/4	4-1/4" x .160" x 1-1/4" - 7	10mm
CBN4-1/2	4.5" x .160" x 1-1/4" - 7	10mm
CBN5	5" x .160" x 1-1/4" - 7	10mm
CBN6	6" x .160" x 1-1/4" - 7	10mm
CBN7	7" x .160" x 1-1/4" - 7	10mm
CBN8	8" x .160" x 1-1/4" - 7	10mm
CBN9	9" x .160" x 1-1/4" - 7	10mm



CBN-H SERIES



- Best Quality
- Laser welded turbo segmented design
- Aggressive formulation for concrete, reinforced concrete, and masonry
- Crown segments (1" to 1-3/4"), laser welded (2" to 12")
- 14 inch tube

Item #	Specs	Segment Height
CB1H	1" x .135" x 5/8"-11, crowned	10mm
CB1-1/8H	1.125" x .135" x 5/8"-11, crowned	10mm
CB1-1/4H	1.25" x .135" x 5/8"-11, crowned	10mm
CB1-1/2H	1.5" x .135" x 5/8"-11, crowned	10mm
CB1-3/4H	1.75" x .135" x 5/8"-11, crowned	10mm
CBN2H	2" x .160" x 1-1/4" - 7	10mm
CBN2-1/2H	2.5" x .160" x 1-1/4" - 7	10mm
CBN3H	3" x .160" x 1-1/4" - 7	10mm
CBN3-1/2H	3.5" x .160" x 1-1/4" - 7	10mm
CBN4H	4" x .160" x 1-1/4" - 7	10mm
CBN4-1/4H	4-1/4" x .160" x 1-1/4" - 7	10mm
CBN4-1/2H	4.5" x .160" x 1-1/4" - 7	10mm
CBN5H	5" x .160" x 1-1/4" - 7	10mm
CBN6H	6" x .160" x 1-1/4" - 7	10mm
CBN6-1/4H	6.25" x .160" x 1-1/4" - 7	10mm
CBN7H	7" x .160" x 1-1/4" - 7	10mm
CBN8H	8" x .160" x 1-1/4" - 7	10mm
CBN9H	9" x .160" x 1-1/4" - 7	10mm
CBN10H	10" x .160" x 1-1/4" - 7	10mm
CBN12H	12" x .160" x 1-1/4" - 7	10mm

DRY CORE BIT

DCB SERIES



- Best quality
- Dry coring for masonry and concrete
- Turbo segmented laser welded segments
- 10 inch tube

Item #	Specs	Segment Height
DCB1	1" x .140" x 5/8" - 11	10mm
DCB1-1/2	1-1/2" x .140" x 5/8" - 11	10mm
DCB2	2" x .140" x 5/8" - 11	10mm
DCB2-1/2	2.5" x .140" x 5/8" - 11	10mm
DCB3	3" x .140" x 5/8" - 11	10mm
DCB3-1/2	3.5" x .140" x 5/8" - 11	10mm
DCB4	4" x .140" x 5/8" - 11	10mm
DCB5	5" x .140" x 5/8" - 11	10mm
DCB6	6" x .140" x 5/8" - 11	10mm



CUP WHEELS


TAW SERIES – TURBO CUP WHEEL



- Turbo / swirl style cup wheels
- Fast stock removal

STANDARD QUALITY

Item #	Specs	No of Segments
TAW40-9S1-S	4", 5/8"-11	9
TAW40-18S	4", 7/8"-5/8"	18
TAW40-18S1-S	4", 5/8"-11	18
TAW45-9S	4.5", 7/8"-5/8"	9
TAW45-9S1-S	4.5", 5/8"-11	9
TAW45-18S	4.5", 7/8"-5/8"	18
TAW45-18S1-S	4.5", 5/8"-11	18
TAW70-12S	7", 7/8"-5/8"	12
TAW70-12S1-S	7", 5/8"-11	12
TAW70-24S	7", 7/8"-5/8"	24
TAW70-24S1-S	7", 5/8"-11	24



CUP WHEELS

PREMIUM QUALITY

Item #	Specs	No of Segments
TAW40-9P1-S	4", 5/8"-11	9
TAW40-18P	4", 7/8"-5/8"	18
TAW40-18P1-S	4", 5/8"-11	18
TAW45-9P1-S	4.5", 5/8"-11	9
TAW45-18P	4.5", 7/8"-5/8"	18
TAW45-18P1-S	4.5", 5/8"-11	18
TAW50-9P	5", 7/8"-5/8"	9
TAW50-9P1-S	5", 5/8"-11	9
TAW50-18P	5", 7/8"-5/8"	18
TAW50-18P1-S	5", 5/8"-11	18
TAW70-12P	7", 7/8"-5/8"	12
TAW70-12P1-S	7", 5/8"-11	12
TAW70-24P	7", 7/8"-5/8"	24
TAW70-24P1-S	7", 5/8"-11	24



AWD SERIES – SINGLE/ DOUBLE ROW CUP WHEEL



- Good quality
- Good for concrete and masonry grinding
- Concrete edge beveling

STANDARD

Item #	Specs
AWS40S	4" Single Row, 7/8"-5/8"
AWS40S1-S	4" Single Row, 5/8"-11
AWS70S1-S	7" Single Row, 5/8"-11
AWD40S	4" Double Row, 7/8"-5/8"
AWD40S1-S	4" Double Row, 5/8"-11
AWD50S1-S	5" Double Row, 5/8"-11
AWD70S	7" Double Row, 7/8"-5/8"
AWD70S1-S	7" Double Row, 5/8"-11



CUP WHEELS

PREMIUM

Item #	Specs
AWS40P1-S	4" single row, 5/8"-11
AWS70P1-S	7" single row, 5/8"-11
AWD40P	4" double row, 7/8"-5/8"
AWD40P1-S	4" double row, 5/8"-11
AWD70P	7" double row, 7/8"-5/8"
AWD70P1-S	7" double row, 5/8"-11



TCW SERIES – SUPER TURBO GOLD CUP WHEEL



- Best quality
- Fast removal

Item #	Specs
TCW70-18P	7", 18 segments, 7/8"-5/8"
TCW70-18P1	7", 18 segments, 5/8"-11



TTAW SERIES – T-SEG CUP WHEEL



- Best quality
- T-Shape segments

Item #	Specs
TTAW40P	4", 7/8"-5/8"
TTAW40P1	4", 5/8"-11
TTAW70P	7", 7/8"-5/8"
TTAW70P1	7", 5/8"-11



AWR SERIES – ARROW CUP WHEEL



- Best Quality
- Aggressive segments design for coating removal

Item #	Specs
AWR70P1	7" x 5/8"-11, 10 segments




CUP WHEELS

PDRCW SERIES – PCD



- ¼ round PCD
- Good for thick epoxy coating removal
- Fast removal

Item #	Specs
PDRCW50-4H	5" PCD cup wheel, 4 PCD segments, 7/8"-5/8"
PDRCW70-6H	7" PCD cup wheel, 6 PCD segments, 7/8"-5/8"




GRINDING DISC

WGP SERIES



- 10 inch grinding disc
- Good for concrete removal and leveling
- Fits on EDCO, Husqvarna, and Blastrac

Item #	Specs
WGP100/10P	10" grinding disc head, 10 segments
WGP100/20P	10" grinding disc head, 20 segments




CT SERIES



- Good quality
- Continuous rim blade for ceramic and porcelain
- Wet cutting

Item #	Specs	Segment Height
CT40D	4" x .060" x 7/8"-5/8"	8mm
CT45D	4.5" x .060" x 7/8"-5/8"	8mm
CT50D	5" x .060" x 7/8"-5/8"	8mm
CT60X	6" x .060" x 5/8"	10mm
CT70X	7" x .060" x 5/8"	10mm
CT70C	7" x .060" x 5/8"	7mm
CT80X	8" x .060" x 5/8"	10mm
CT10X	10" x .060" x 5/8"	10mm
CT10C	10" x .060" x 5/8"	7mm
CT12X	12" x .080" x 1"	10mm




CT -P SERIES



- Best quality
- Continuous rim blade for ceramic and porcelain
- Fast cutting with minimum chipping
- Wet cutting

Item #	Specs	Segment Height
CT40DP	4" x .060" x 7/8"-5/8"	8mm
CT45DP	4.5" x .060" x 7/8"-5/8"	8mm
CT50DP	5" x .060" x 7/8"-5/8"	8mm
CT70XP	7" x .060" x 5/8"	10mm
CT70CP	7" x .060" x 5/8"	7mm
CT80XP	8" x .060" x 5/8"	10mm
CT10XP	10" x .060" x 5/8"	10mm
CT10CP	10" x .060" x 5/8"	7mm
CT12XP	12" x .080" x 1"	10mm
CT14XP	14" x .090" x 1"	10mm




TILE & STONE

CTR SERIES – RAZOR BLADE



- Best quality
- Laser cut slots to reduce vibrations during cutting
- Very fast cut with minimum chipping for porcelain and ceramic tiles
- Wet cutting

Item #	Specs	Segment Height
CTR40CP	4" x .060" x 5/8"	7mm
CTR70CP	7" x .060" x 5/8"	7mm
CTR80CP	8" x .060" x 5/8"	7mm
CTR10CP	10" x .060" x 5/8"	7mm
CTR10XP	10" x .060" x 5/8"	10mm



CT-RH SERIES



- Best quality
- Thin kerf Reinforced hub continuous rim blade
- Very fast cutting with minimum to no chipping on porcelain tiles
- Wet cutting

Item #	Specs	Segment Height
CT10XP-RH	10" x .048" x 5/8"	10mm




CTD SERIES – DRY CUTTING TILE



- Good quality
- Good for ceramic and porcelain tile
- Dry cutting


Item #	Specs	Segment Height
CTD45B	4.5" x .060" x 7/8"-5/8"	6mm
CTD50B	5" x .060" x 7/8"-5/8"	6mm
CTD70C	7" x .060" x DM7/8"-5/8"	7mm



CG SERIES – GLASS TILE BLADE


- Best quality
- Good for glass tile application
- Wet cutting

Item #	Specs	Segment Height
CG40C	4" x .060 x 7/8-5/8	7mm
CG70C	7" x .060 x 5/8	7mm
CG80C	8" x .060 x 5/8	7mm
CG10C	10" x .060 x 5/8	7mm

**TGM SERIES – TURBO MESH**


- Good quality
- Turbo mesh design for fast cooling
- Good for porcelain tiles, ceramic tiles, granite, & stone
- Dry and wet cutting
- Thin-kerf with Reinforced core

Item #	Description	Segment Height
TGM40X	4" x .048" x 7/8"-5/8"	10mm
TGM45X	4.5" x .048" x 7/8"-5/8"	10mm
TGM50X	5" x .048" x 7/8"-5/8"	10mm
TGM70X	7" x .060" x 7/8"-5/8"	10mm
TGM10X	10" x .060" x 5/8"	10mm

**TG SERIES – TURBO GRANITE**

- Good quality
- Dry and wet cutting for granite and stones

Item #	Specs	Segment Height
TG40XH	4" x .070" x 7/8"-5/8" w/ Flush Mount	10mm
TG45XH	4.5 x .070" x 7/8"-5/8" w/ Flush Mount	10mm
TG50XH	5" x .070" x 7/8"-5/8" w/ Flush Mount	10mm
TG60XH	6" x .080" x 7/8"-5/8" w/ Flush Mount	10mm
TG70XH	7" x .090" x DM7/8"-5/8" w/ Flush Mount	10mm
TG80XH	8" x .090" x DM7/8"-5/8"	10mm
TG14XH	14" x .125" x 1"-20mm	10mm



STONE CUP WHEEL

AWG SERIES




- Turbo cup wheel
- Good for granite and stone materials

Item #	Specs	Grits
AWG40F	4" x 5/8" -11	Fine
AWG40M	4" x 5/8" -11	Medium
AWG40C	4" x 5/8" -11	Coarse
AWG60F	6" x 5/8" -11	Fine
AWG60M	6" x 5/8" -11	Medium
AWG60C	6" x 5/8" -11	Coarse
AWG70F	7" x 5/8" -11	Fine
AWG70M	7" x 5/8" -11	Medium
AWG70C	7" x 5/8" -11	Coarse



GLITTER BIT – VACUUM BRAZED

GLITTER BIT



- Mortar joint clean out

Item #	Specs
Glitter bit	1/4" x 3.5"





NEW PRODUCT

NTS SERIES



- High quality diamond blade for hardscapes, concrete, and masonry
- Features: Turbo notched segmented style, cooling holes, and 12mm segments height
- Trademarked by Procut Tool

Item #	Specs	Segment Height
NTS14F	14" x .125" x 1"-20mm	12mm




NEW PRODUCT

LRC-B SERIES



- High quality vacuum brazed technology
- Design for rescue & demolition
- Side coating for smoother finish on metal application
- Great for ductile iron, steel, rebar, angle iron

Item #	Specs	Segment Height
LRC14B	14" x .125" x 1"-20mm	5mm




NEW PRODUCT

VIKING BLADE



- Most versatile diamond blade from soft and abrasives to hard materials
- Jumbo 15mm segments with 19mm undercut segments
- Alternating turbo segmented design for aggressive cutting

Item #	Specs	Segment Height
VIK14IH	14" x .125" x 1"-20mm	15mm w/ 19mm



Available designs and segments shapes

