

★★★★★
**AMERICAN
ENDURANCE**
INC.

PREMIUM DIAMOND TOOLS
BUILT TO ENDURE.

**BUILT AMERICAN.
BUILT TOUGH.**



PREMIUM QUALITY



MAX PERFORMANCE



BUILT TO ENDURE

★★★★★ 01


GENERAL PURPOSE

General purpose diamond blades are designed for a variety of light to medium duty application, such as concrete, brick & block.

SG/ GP SERIES



- Good Quality
- General Purpose: concrete, brick, & block
- 2 – 13HP




Item #	Specs	Segment Height
SG40X	4" x .070" x 7/8"-5/8"	10mm
SG45X	4.5" x .070" x 7/8"-5/8"	10mm
SG50X	5" x .070" x 7/8"-5/8"	10mm
SG60X	6" x .070" x 7/8"-5/8"	10mm
SG70X	7" x .085" x DM7/8"-5/8"	10mm
SG80X	8" x .085" x DM7/8"-5/8"	10mm
SG90X	9" x .095" x DM7/8"-5/8"	10mm
SG10X	10" x .110" x DM7/8"-5/8"	10mm
GP12G	12" x .120" x 1"-20mm	14mm
GP12G20	12" x .120" x 20mm	14mm
GP14X	14" x .120" x 1"-20mm	10mm
GP14G	14" x .120" x 1"-20mm	14mm
GP14G20	14" x .120" x 20mm	14mm

SG PREMIUM SERIES



- Best Quality
- Long Life on general purpose: concrete, brick, & block
- 2 -13HP



Item #	Specs	Segment Height
SG40XP	4" x .070" x 7/8"-5/8"	10mm
SG45XP	4.5" x .070" x 7/8"-5/8"	10mm
SG50XP	5" x .070" x 7/8"-5/8"	10mm
SG60XP	6" x .070" x 7/8"-5/8"	10mm
SG70XP	7" x .085" x DM7/8"-5/8"	10mm
SG80XP	8" x .085" x DM7/8"-5/8"	10mm
SG90XP	9" x .095" x DM7/8"-5/8"	10mm
SG10XP	10" x .110" x DM7/8"-5/8"	10mm


GENERAL PURPOSE

TB SERIES



- Good quality
- General purpose: concrete, brick, & block
- Turbo style for smooth cutting

Item #	Specs	Segment Height
TB40X	4" x .080" x 7/8"-5/8"	10mm
TB45X	4.5" x .085" x 7/8"-5/8"	10mm
TB50X	5" x .085" x 7/8"-5/8"	10mm
TB60X	6" x .085" x 7/8"-5/8"	10mm
TB70X	7" x .095" x DM7/8"-5/8"	10mm
TB80X	8" x .100" x DM7/8"-5/8"	10mm
TB90X	9" x .100" x DM7/8"-5/8"	10mm
TB10X	10" x .110" x DM7/8"-5/8"	10mm
TB12X	12" x .110" x 1"-20mm	10mm
TB14X	14" x .125" x 1"-20mm	10mm




TB PREMIUM SERIES



- Best quality
- General purpose: concrete, masonry, brick, & block
- Long life, fast, and smooth cutting

Item #	Specs	Segment Height
TB40XP	4" x .080" x 7/8"-5/8"	10mm
TB45XP	4.5" x .085" x 7/8"-5/8"	10mm
TB50XP	5" x .085" x 7/8"-5/8"	10mm
TB60XP	6" x .085" x 7/8"-5/8"	10mm
TB70XP	7" x .095" x DM7/8"-5/8"	10mm
TB80XP	8" x .100" x DM7/8"-5/8"	10mm
TB10XP	10" x .110" x DM7/8"-5/8"	10mm
TB12XP	12" x .110" x 1"-20mm	10mm
TB14XP	14" x .125" x 1"-20mm	10mm




GENERAL PURPOSE

TS SERIES



- Turbo segmented design
- Long life, good cutting speed, smooth cut
- General purpose for concrete, masonry, pavers, brick & block
- 2 – 13HP

Item #	Specs	Segment Height
TS12I	12" x .125" x 1"-20mm	15mm
TS14I	14" x .125" x 1"-20mm	15mm




ATS SERIES



- Best quality
- Alternating turbo segmented design
- Very fast cutting on general purpose concrete, masonry, pavers, brick & block
- 2 – 13HP

Item#	Description	Segment Height
ATS90F	9" x .100" x 7/8"-5/8"	12mm
ATS12IH	12" x .125" x 1"-20mm	15mm
ATS12IH20	12" x .125" x 20mm	15mm
ATS14IH	14" x .125" x 1"-20mm	15mm
ATS14IH20	14" x .125" x 20mm	15mm
ATS16IH-L	16" x .140" x 1"-20mm	15mm




ATP SERIES



- Good quality
- Featuring T-Shape undercut segment
- Design for roof tile and masonry materials

Item #	Specs	Segment Height
ATP40P	4" x .080" x 7/8"-5/8"	10mm
ATP45P	4.5" x .080" x 7/8"-5/8"	10mm
ATP50P	5" x .085" x 7/8"-5/8"	10mm
ATP70P	7" x .090" x DM7/8"-5/8"	10mm
ATP12P	12" x .125" x 1"-20mm	10mm
ATP14P	14" x .125" x 1"-20mm	10mm




LASER WELDED GENERAL PURPOSE

SW SERIES



- Best quality
- Premium laser welded for general purpose, concrete, and masonry
- Available in 10mm and 12mm segments height
- 2 – 15HP

Item #	Specs	Segment Height
SW40X	4" x .080" x 7/8"-5/8"	10mm
SW45X	4.5" x .080" x 7/8"-5/8"	10mm
SW50X	5" x .080" x 7/8"-5/8"	10mm
SW70X	7" x .090" x DM7/8"-5/8"	10mm
SW10X	10" x .110" x DM7/8"-5/8"	10mm
SW12X	12" x .125" x 1"-20mm	10mm
SW12X20	12" x .125" x 20mm	10mm
SW14X	14" x .125" x 1"-20mm	10mm
SW14X20	14" x .125" x 20mm	10mm
SW20X	20" x .140" x 1"	10mm
SW12F	12" x .125" x 1"-20mm	12mm
SW12F20	12" x .125" x 20mm	12mm
SW14F	14" x .125" x 1"-20mm	12mm
SW14F20	14" x .125" x 20mm	12mm
SW14FN	14" x .125" x 1"-20mm	12mm




SWT SERIES



- Best quality
- Premium turbo segmented design laser welded
- Fast cutting for general purpose, concrete, masonry, pavers, brick, block & fieldstones
- 2 – 15HP

Item #	Specs	Segment Height
SWT14F	14" x .125" x 1"-20mm	12mm
SWT14F20	14" x .125" x 20mm	12mm
SWT16F	16" x .125" x 1"-20mm	12mm



CURED CONCRETE – HARD MATERIALS

CC SERIES



- Best value for concrete, light duty reinforced concrete, brick and pavers
- Laser welded
- 2 – 15HP

Item #	Specs	Segment Height
CC10F	10" x .110" x 1"-20mm	12mm
CC12F	12" x .110" x 1"-20mm	12mm
CC12F20	12" x .110" x 20mm	12mm
CC14F	14" x .125" x 1"-20mm	12mm
CC14F20	14" x .125" x 20mm	12mm
CC16F	16" x .140" x 1"-20mm	12mm
CC16F20	16" x .140" x 1"-20mm	12mm
CC18F	18" x .140" x 1"	12mm
CC20F	20" x .155" x 1"	12mm




LSTS-X SERIES



- Turbo segmented design for more aggressive cutting on hard materials and concrete
- Laser welded
- 2 – 15HP

Item #	Specs	Segment Height
LTS45X	4.5" x .095" x 7/8"-5/8"	10mm
LTS50X	5" x .095" x 7/8"-5/8"	10mm
LTS70X	7" x .095" x DM7/8"-5/8"	10mm
LTS10X	10" x .110" x DM7/8"-5/8"	10mm
LSTS12X	12" x .125" x 1"-20mm	10mm
LSTS14X	14" x .125" x 1"-20mm	10mm
LSTS14X20	14" x .125" x 20mm	10mm
LTS20X	20" x .160" x 1"	10mm




CURED CONCRETE – HARD MATERIALS

WST SERIES



- Split style turbo segmented
- Smooth and fast cutting on concrete and hard materials
- 2 – 15HP

Item #	Specs	Segment Height
WST12FW	12" x .110" x 1"-20mm	12mm
WST14FW	14" x .125" x 1"-20mm	12mm
WST14FW20	14" x .125" x 20mm	12mm




SCC-P SERIES



- Best Quality
- Turbo segmented style diamond blade
- Fast cutting & long life for hard materials, concrete, reinforced concrete, and hard brick
- 15mm segment height
- 2 – 15HP

Item #	Specs	Segment Height
SCC1215P	12" x .125" x 1"-20mm	15mm
SCC1415P	14" x .125" x 1"-20mm	15mm



V-MAX / PDA pro


An innovation of patterned diamond technology, distributing diamond particles precisely in three dimensional (3D) patterns. Through this technology, they are more efficient and durable.

VMH SERIES



- Up to 30% faster cutting speed on hard materials, Reinforced concrete and fieldstones
- Up to 20% longer life
- 2 – 15HP

Item #	Specs	Segment Height
VMH14F	14" x .125" x 1"-20mm	12mm
VMH16F	16" x .140" x 1"-20mm	12mm




PROPRIETARY DIAMOND BLADE

TSA SERIES (ARROW DIAMOND BLADE)



- Supreme quality laser welded
- The Original Arrow turbo segmented style with special formulation, Resulting in smooth cut nearly all hard materials, including reinforced concrete, hard concrete and fieldstones.
- 15mm segment height
- 5 – 18HP




TRADEMARK # 86573711

Item #	Specs	Segment Height
TSA12IH	12" x .120" x 1"-20mm	15mm
TSA14IH	14" x .125" x 1"-20mm	15mm
TSA14IH20	14" x .125" x 20mm	15mm
TSA16IH	16" x .140" x 1"-20mm	15mm
TSA18IH	18" x .160" x 1"	15mm
TSA20IH	20" x .160" x 1"	15mm
TSA24IH	24" x .160" x 1"	15mm

LSF SERIES (SWORDFISH DIAMOND BLADE)



- Supreme quality, laser welded
- It's unique segment's design, create less friction during cutting, resulting in a very fast cutting speed
- 13mm segment height
- Good for reinforced concrete, hard bricks, and fieldstone
- 5 – 18HP



Item #	Specs	Segment Height
LSF14NH	14" x .125" x 1"-20mm	13mm

CURED CONCRETE – WALK BEHIND SAW 35-65HP

CW SERIES



- Semiprofessional diamond blade
- Supreme quality laser welded blade for cured concrete & reinforced concrete
- Featuring full radius undercutting segments
- 20 – 35HP

Item #	Specs	Segment Height
CW14XH	14" x .125" x 1"	10mm
CW14XH20	14" x .125" x 20mm	10mm
CW16XH	16" x .140" x 1"	10mm
CW18XH	18" x .160" x 1"	10mm
CW20XH	20" x .160" x 1"	10mm
CW24XH	24" x .165" x 1"	10mm
CW26XH	26" x .165" x 1"	10mm
CW30XH	30" X .165" X 1"	10mm
CW36XH	36" x .165" x 1"	10mm



CWH SERIES



- Professional quality diamond blade for cured concrete and reinforced concrete
- 65HP

SOFT BOND - 60


Item #	Specs	Segment Height
CWH1412-60	14" x .125" x 1"	10mm
CWH1414-60	14" x .140" x 1"	10mm
CWH1416-60	14" x .165" x 1"	10mm
CWH1425-60	14" x .250" x 1"	10mm
CWH1616-60	16" x .165" x 1"	10mm
CWH1816-60	18" x .165" x 1"	10mm
CWH2016-60	20" x .165" x 1"	10mm
CWH2416-60	24" x .165" x 1"	10mm
CWH2616-60	26" x .165" x 1"	10mm
CWH3016-60	30" x .165" x 1"	10mm
CWH3616-60	36" x .165" x 1"	10mm
CWH3618-60	36" x .187" x 1"	10mm



CURED CONCRETE – WALK BEHIND SAW 35-65HP

MEDIUM BOND – 70

Item #	Specs	Segment Height
CWH1412-70	14" x .125 x 1"	10mm
CWH1414-70	14" x .140 x 1"	10mm
CWH1418-70	14" x .187 x 1"	10mm
CWH1425-70	14" x .250 x 1"	10mm
CWH1616-70	16" x .165 x 1"	10mm
CWH1816-70	18" x .165 x 1"	10mm
CWH2016-70	20" x .165 x 1"	10mm
CWH2018-70	20" x .187 x 1"	10mm
CWH2416-70	24" x .165 x 1"	10mm
CWH2616-70	26" x .165 x 1"	10mm
CWH3016-70	30" x .165 x 1"	10mm
CWH3616-70	36" x .165 x 1"	10mm
CWH3618-70	36" x .187 x 1"	10mm




MASONRY

TS-XP SERIES



- Good quality
- Turbo segmented with slanted key hole gullet
- Good for general purpose and light duty masonry materials

Item #	Specs	Segment Height
TS70XP	7" x .090" x DM7/8"-5/8"	10mm
TS14XP	14" x .125" x 1"-20mm	10mm




LSTR SERIES



- Best quality
- Notched - Segmented design for fast cutting
- General purpose, concrete, masonry, brick & block
- 5 – 15HP

Item #	Specs	Segment Height
LSTR14X	14" x .125" x 1"-20mm	10mm
LSTR14X20	14" x .125" x 20mm	10mm




UB SERIES



- Best quality
- Wide U-Slot gullet
- Aggressive cutting for hard brick
- 5 – 15HP

Item #	Specs	Segment Height
UB14X	14" x .125" x 1"-20mm	10mm
UB20X	20" x .155" x 1"	10mm




ASPHALT – GREEN CONCRETE

AP SERIES



- Good quality
- Best value for performance on asphalt, green concrete, and soft materials
- Feature : undercutting segment
- 5 – 15HP

Item #	Specs	Segment Height
AP12X	12" x .125" x 1"-20mm	10mm
AP14X	14" x .125" x 1"-20mm	10mm




AS SERIES



- Better quality
- Wide U-Slot gullet with undercutting segment
- Good for asphalt and abrasive materials
- Laser welded
- 5 – 15HP

Item #	Specs	Segment Height
AS12F	12" x .125" x 1"-20mm	12mm
AS12F20	12" x .125" x 20mm	12mm
AS14F	14" x .125" x 1"-20mm	12mm
AS14F20	14" x .125" x 20mm	12mm




SAS SERIES



- Best Quality
- Best for asphalt, green concrete, and abrasive materials
- Laser welded
- 5 – 20HP

Item #	Specs	Segment Height
SAS1210	12" x .125" x 1"-20mm	10mm
SAS1210S20	12" x .125" x 20mm	10mm
SAS1410	14" x .125" x 1"-20mm	10mm
SAS1410S20	14" x .125" x 20mm	10mm
SAS1610	16" x .125" x 1"-20mm	10mm




ASPHALT – WALK BEHIND SAW 20 – 35HP

LAS – P SERIES (UP TO 20HP)



- Premium quality
- Narrow gullet with slanted undercutting segments

Item #	Specs	Segment Height
LAS16XP	16" x .140" x 1"	10mm
LAS18XP	18" x .160" x 1"	10mm
LAS20XP	20" x .160" x 1"	10mm




LAS – H SERIES (UP TO 35HP)



- Supreme quality
- Narrow gullet with slanted undercutting segments

Item #	Specs	Segment Height
LAS12XH	12" x .125" x 1"-20mm	10mm
LAS14XH	14" x .125" x 1"-20mm	10mm
LAS16XH	16" x .140" x 1"	10mm
LAS18XH	18" x .160" x 1"	10mm
LAS20XH	20" x .160" x 1"	10mm
LAS24XH	24" x .165" x 1"	10mm
LAS26XH	26" x .165" x 1"	10mm
LAS30XH	30" x .165" x 1"	10mm
LAS36XH	36" x .165" x 1"	10mm



ASPHALT – WALK BEHIND SAW 65HP


AWH SERIES (65HP)



- Professional quality diamond blade
- Good for asphalt, asphalt over concrete

MEDIUM BOND – 40

Item #	Specs	Segment Height
AWH1412-40	14" x .125" x 1"	10mm
AWH1414-40	14" x .140" x 1"	10mm
AWH1416-40	14" x .165" x 1"	10mm
AWH1418-40	14" x .187" x 1"	10mm
AWH1425-40	14" x .250" x 1"	10mm
AWH1616-40	16" x .165" x 1"	10mm
AWH1816-40	18" x .165" x 1"	10mm
AWH2016-40	20" x .165" x 1"	10mm
AWH2416-40	24" x .165" x 1"	10mm
AWH2616-40	26" x .165" x 1"	10mm
AWH3016-40	30" x .165" x 1"	10mm
AWH3616-40	36" x .165" x 1"	10mm
AWH3618-40	36" x .187" x 1"	10mm



HARD BOND – 50

Item #	Specs	Segment Height
AWH1412-50	14" x .125" x 1"	10mm
AWH1414-50	14" x .140" x 1"	10mm
AWH1416-50	14" x .165" x 1"	10mm
AWH1418-50	14" x .187" x 1"	10mm
AWH1616-50	16" x .165" x 1"	10mm
AWH1816-50	18" x .165" x 1"	10mm
AWH2016-50	20" x .165" x 1"	10mm
AWH2416-50	24" x .165" x 1"	10mm
AWH2616-50	26" x .165" x 1"	10mm
AWH3016-50	30" x .165" x 1"	10mm
AWH3616-50	36" x .165" x 1"	10mm
AWH3618-50	36" x .187" x 1"	10mm




EARLY ENTRY GREEN CONCRETE

GC SERIES



- Premium Quality
- Fits on Soff-Cut saws
- Universal Red bond
- Skid plate included



Item #	Specs	Segment Height
GC60X-T	6" x .100" x Triangle arbor	10mm
GC60X-T-SB	6" x .100" x Triangle arbor, PURPLE	10mm
GC65X-T	6" x .100" x Triangle arbor	10mm
GC80X-T	8" x .100" x Triangle arbor	10mm
GC10X-TK	10" x .100" - 1" – Triangle Arbor	10mm
GC12X-TK	12" x .125" - 1" - Triangle Arbor	10mm
GC135X-TK	13.5" x .125" - 1" – Triangle Arbor	10mm




COMBO/ MULTIPURPOSE

LK SERIES – ALL CUT PRO



- Best quality, Supreme grade
- Alternating turbo segmented design with undercutting segments
- 10mm segments height with 13mm undercutting segments
- Very fast cutting
- Good for all construction materials from soft and abrasive to very hard
- Asphalt, block, hard brick, concrete, reinforced concrete, fieldstones
- 5 – 18HP

Item #	Specs	Segment Height
LK70FH	7" x .090" x DM7/8"-5/8"	12mm
LK12FH	12" x .125" x 1"-20mm	12mm
LK12FH20	12" x .125" x 20mm	12mm
LK14FH	14" x .125" x 1"-20mm	12mm
LK14FH20	14" x .125" x 20mm	12mm
LK16FH	16" x .140" x 1"-20mm	12mm
LK18FH	18" x .140" x 1"	12mm
LK20FH	20" x .155" x 1"	12mm
LK24FH	24" x .160" x 1"	12mm



LK70XP*	7" x .090" x DM7/8"-5/8"	10mm
LK14XP*	14" x .125" x 1"-20mm	10mm


*Premium grade

LAC SERIES



- Supreme quality
- Segmented design with undercutting segments
- Good for all construction materials from soft and abrasive to very hard
- Asphalt, block, hard brick, concrete, reinforced concrete, fieldstones
- 5 – 18HP

Item #	Specs	Segment Height
LAC12XH	12 x .125 x 1"-20mm	10mm
LAC12XH20	12 x .125 x 20mm	10mm
LAC14XH	14" x .125 x 1"-20mm	10mm
LAC14XH20	14" x .125 x 20mm	10mm
LAC16XH	16" x .140 x 1"-20mm	10mm
LAC18XH	18" x .140 x 1"	10mm
LAC20XH	20" x .160 x 1"	10mm




COMBO/ MULTIPURPOSE

LSTS-FH SERIES – SUPER COMBO DIAMOND BLADE



- Best quality, supreme grade
- Top performance diamond blade for cutting nearly all construction materials from soft to hard
- Good for asphalt, green concrete, block, concrete, pavers, reinforced concrete, fieldstones
- 12mm segments height, with 15mm undercutting segments
- Turbo segmented design with cooling holes
- This is your “ 1 BLADE FOR EVERYTHING”
- 5 – 20HP

Item #	Specs	Segment Height
LSTS12FH	12" x .125" x 1"-20mm	12mm
LSTS12FH20	12" x .125" x 20mm	12mm
LSTS14FH	14" x .125" x 1"-20mm	12mm
LSTS14FH20	14" x .125" x 20mm	12mm
LSTS16FH	16" x .125" x 1"-20mm	12mm
LSTS16FH20	16" x .125" x 20mm	12mm
LSTS18FH	18" x .140" x 1"	12mm
LSTS20FH	20" x .160" x 1"	12mm
LSTS24FH	24" x .160" x 1"	12mm




TAC SERIES – TURBO ALL CUT



- Best quality
- Turbo rim for smooth cut
- 5 – 13HP

Item #	Specs	Segment Height
TAC40X	4" x .080" x 7/8"-5/8"	10mm
TAC45X	4.5" x .085" x 7/8"-5/8"	10mm
TAC50X	5" x .085" x 7/8"-5/8"	10mm
TAC70X	7" x .095" x DM7/8"-5/8"	10mm
TAC10X	10" x .110" x DM7/8"-5/8"	10mm
TAC12X	12" x .110" x 1"-20mm	10mm
TAC14X	14" x .125" x 1"-20mm	10mm




DUCTILE – RESCUE

LWR SERIES – DUCTILE IRON PIPE



- High quality ductile iron blade
- Electroplated diamond coating on core for beveling
- Turbo segmented design
- Last up to 80 times longer than abrasives

Item #	Specs	Segment Height
LWR12	12" x.125" x 1"-20mm	5mm
LWR14	14" x.125" x 1"-20mm	5mm
LWR14-20	14" x.125" x 20mm	5mm
LWR16	16" x .140" x 1"	5mm




LRC SERIES – METAL CUTTING / RESCUE



- Vacuum brazed technology
- 100X longer life than abrasive wheels
- Less sparks and fast cut
- Excellent for metal framing
- Suitable for angle grinders, Portable saws and high speed Hand held saws

Item #	Specs
LRC40	4" x .080" x 7/8"-5/8"
LRC50	5" x .080" x 7/8"-5/8"
LRC70	7" x .090" x DM7/8"-5/8"
LRC12	12" x.125" x 1"- 20mm
LRC14	14" x.125" x 1"-20mm
LRC16	16" x.140" x 1"



METAL CUTTING - GRINDING


LMC SERIES – METAL CUTTING



- Vacuum brazed technology
- 100X longer life than abrasive wheels
- Less smokes and sparks during cutting
- Same cutting depth at all time
- Less chance of breaking than abrasive wheels
- For use on ferrous metals, iron, steel, Stainless steel and rebar

Item #	Specs
LMC40	4" X .050" X 5/8"-3/8" -1/4"
LMC45	4.5" x .050" x 7/8"-5/8"
LMC50	5" x .050" x 7/8"-5/8"
LMC60*	6" x .050" x 7/8"-5/8"
LMC70	7" x .060" x DM7/8"-5/8"
LMC90	9" x .060" x 7/8"-5/8"
LMC12*	12" x .125 x 1"-20mm
LMC14	14" x .125 x 1"-20mm
LMC16*	16" x .140" x 1"-20mm
LMC18*	18" x .140" x 1"
LMC20*	20" x .155" x 1"

*Available on special order




LMGW SERIES – METAL GRINDING



- 200X longer life than abrasive wheels
- Less sparks and dust
- 50% faster speed than abrasive wheels
- Smooth grinding and finishing
- For use on ferrous metals, iron, steel, Stainless steel and rebar

Item #	Specs
LMGW45	4.5" x 5/8"-11




TUCK POINTING

TK SERIES – SOLID TUCK POINT



- Good quality
- Good for cleaning out mortar joints and grout repair

Item #	Specs	Segment Height
TK40SX	4" x .250" x 7/8"-5/8"	10mm
TK45SX	4.5" x .250" x 7/8"-5/8"	10mm
TK50SX	5" x .250" x 7/8"-5/8"	10mm
TK70SX	7" x .250" x DM7/8"-5/8"	10mm




TK-P SERIES – SOLID TUCK POINT



- Best quality, premium grade
- Good for cleaning out mortar joints and grout repair
- Longer life

Item #	Specs	Segment Height
TK40PX	4" x .250" x 7/8"-5/8"	10mm
TK45PX	4.5" x .250" x 7/8"-5/8"	10mm
TK50PX	5" x .250" x 7/8"-5/8"	10mm
TK70PX	7" x .250" x DM7/8"-5/8"	10mm




TKS SERIES – SANDWICH TUCK POINT



- Good quality
- Fast cutting for cleaning out mortar joints and grout repair

Item #	Specs	Segment Height
TKS40SX	4" x .250" x 7/8"-5/8"	10mm
TKS45SX	4.5" x .250" x 7/8"-5/8"	10mm
TKS50SX	5" x .250" x 7/8"-5/8"	10mm



TUCK POINTING

TKS-P SERIES – SANDWICH TUCK POINT



- Best quality, premium grade
- Fast cutting for cleaning out mortar joints and grout repair
- Longer life

Item #	Specs	Segment Height
TKS40PX	4" x .250" x 7/8"-5/8"	10mm
TKS45PX	4.5" x .250" x 7/8"-5/8"	10mm
TKS50PX	5" x .250" x 7/8"-5/8"	10mm



TKT-P SERIES – TRIPLE SANDWICH TUCK POINT



- .375" thickness
- Best quality, premium grade
- Fast cutting for cleaning out mortar joint and grout repair
- Longer life

Item #	Specs	Segment Height
TKT45PX	4.5" x .375" x 7/8"-5/8"	10mm
TKT50PX	5" x .375" x 7/8"-5/8"	10mm




TKG SERIES – BLUE BULLET TUCK POINT



- 12mm segment height
- Aggressive design, very fast cutting for mortar joint removal, old mortar
- Premium quality

Item #	Specs	Segment Height
TKG40PF	4" x .250 x 7/8-5/8	12mm
TKG45PF	4.5" x .250 x 7/8-5/8	12mm
TKG50PF	5" x .250 x 7/8-5/8	12mm
TKG70PF	7" x .250 x DM7/8-5/8	12mm




CRACK CHASER

STK SERIES – V-SHAPED SEGMENT



- Best quality
- 12mm segment heights
- V-Shaped segment
- Cleaning out cracks on concrete

Item #	Specs	Segment Height
STK40-375T	4" x .375" x 5/8"-11	12mm
STK40-375	4" x .375" x 5/8"-7/8"	12mm
STK50-375	5" x .375" x 7/8"-5/8"	12mm
STK70-375	7" x .375" x DM7/8"-5/8"	12mm
STK80-375	8" x .375" x 7/8"-5/8"	12mm



WET CORE BIT

CBN SERIES



- Good quality
- Concrete, light duty to medium duty
- Crown segments (1" to 1-3/4"), laser welded (2" to 9")
- 14 inch tube

Item #	Specs	Segment Height
CB1	1" x .135" x 5/8"-11, crowned	10mm
CB1-1/4	1.25" x .135" x 5/8"-11, crowned	10mm
CB1-1/2	1.5" x .135" x 5/8"-11, crowned	10mm
CB1-3/4	1.75" x .135" x 5/8"-11, crowned	10mm
CBN2	2" x .160" x 1-1/4" - 7	10mm
CBN2-1/2	2.5" x .160" x 1-1/4" - 7	10mm
CBN3	3" x .160" x 1-1/4" - 7	10mm
CBN3-1/2	3.5" x .160" x 1-1/4" - 7	10mm
CBN4	4" x .160" x 1-1/4" - 7	10mm
CBN4-1/4	4-1/4" x .160" x 1-1/4" - 7	10mm
CBN4-1/2	4.5" x .160" x 1-1/4" - 7	10mm
CBN5	5" x .160" x 1-1/4" - 7	10mm
CBN6	6" x .160" x 1-1/4" - 7	10mm
CBN7	7" x .160" x 1-1/4" - 7	10mm
CBN8	8" x .160" x 1-1/4" - 7	10mm
CBN9	9" x .160" x 1-1/4" - 7	10mm



CBN-H SERIES




- Best Quality
- Laser welded turbo segmented design
- Aggressive formulation for concrete, reinforced concrete, and masonry
- Crown segments (1" to 1-3/4"), laser welded (2" to 12")
- 14 inch tube

Item #	Specs	Segment Height
CB1H	1" x .135" x 5/8"-11, crowned	10mm
CB1-1/8H	1.125" x .135" x 5/8"-11, crowned	10mm
CB1-1/4H	1.25" x .135" x 5/8"-11, crowned	10mm
CB1-1/2H	1.5" x .135" x 5/8"-11, crowned	10mm
CB1-3/4H	1.75" x .135" x 5/8"-11, crowned	10mm
CBN2H	2" x .160" x 1-1/4" - 7	10mm
CBN2-1/2H	2.5" x .160" x 1-1/4" - 7	10mm
CBN3H	3" x .160" x 1-1/4" - 7	10mm
CBN3-1/2H	3.5" x .160" x 1-1/4" - 7	10mm
CBN4H	4" x .160" x 1-1/4" - 7	10mm
CBN4-1/4H	4-1/4" x .160" x 1-1/4" - 7	10mm
CBN4-1/2H	4.5" x .160" x 1-1/4" - 7	10mm
CBN5H	5" x .160" x 1-1/4" - 7	10mm
CBN6H	6" x .160" x 1-1/4" - 7	10mm
CBN6-1/4H	6.25" x .160" x 1-1/4" - 7	10mm
CBN7H	7" x .160" x 1-1/4" - 7	10mm
CBN8H	8" x .160" x 1-1/4" - 7	10mm
CBN9H	9" x .160" x 1-1/4" - 7	10mm
CBN10H	10" x .160" x 1-1/4" - 7	10mm
CBN12H	12" x .160" x 1-1/4" - 7	10mm

DRY CORE BIT

DCB SERIES



- Best quality
- Dry coring for masonry and concrete
- Turbo segmented laser welded segments
- 10 inch tube

Item #	Specs	Segment Height
DCB1	1" x .140" x 5/8" - 11	10mm
DCB1-1/2	1-1/2" x .140" x 5/8" - 11	10mm
DCB2	2" x .140" x 5/8" - 11	10mm
DCB2-1/2	2.5" x .140" x 5/8" - 11	10mm
DCB3	3" x .140" x 5/8" - 11	10mm
DCB3-1/2	3.5" x .140" x 5/8" - 11	10mm
DCB4	4" x .140" x 5/8" - 11	10mm
DCB5	5" x .140" x 5/8" - 11	10mm
DCB6	6" x .140" x 5/8" - 11	10mm



CUP WHEELS


TAW SERIES – TURBO CUP WHEEL



- Turbo / swirl style cup wheels
- Fast stock removal

STANDARD QUALITY

Item #	Specs	No of Segments
TAW40-9S1-S	4", 5/8"-11	9
TAW40-18S	4", 7/8"-5/8"	18
TAW40-18S1-S	4", 5/8"-11	18
TAW45-9S	4.5", 7/8"-5/8"	9
TAW45-9S1-S	4.5", 5/8"-11	9
TAW45-18S	4.5", 7/8"-5/8"	18
TAW45-18S1-S	4.5", 5/8"-11	18
TAW70-12S	7", 7/8"-5/8"	12
TAW70-12S1-S	7", 5/8"-11	12
TAW70-24S	7", 7/8"-5/8"	24
TAW70-24S1-S	7", 5/8"-11	24



CUP WHEELS

PREMIUM QUALITY

Item #	Specs	No of Segments
TAW40-9P1-S	4", 5/8"-11	9
TAW40-18P	4", 7/8"-5/8"	18
TAW40-18P1-S	4", 5/8"-11	18
TAW45-9P1-S	4.5", 5/8"-11	9
TAW45-18P	4.5", 7/8"-5/8"	18
TAW45-18P1-S	4.5", 5/8"-11	18
TAW50-9P	5", 7/8"-5/8"	9
TAW50-9P1-S	5", 5/8"-11	9
TAW50-18P	5", 7/8"-5/8"	18
TAW50-18P1-S	5", 5/8"-11	18
TAW70-12P	7", 7/8"-5/8"	12
TAW70-12P1-S	7", 5/8"-11	12
TAW70-24P	7", 7/8"-5/8"	24
TAW70-24P1-S	7", 5/8"-11	24



AWD SERIES – SINGLE/ DOUBLE ROW CUP WHEEL



- Good quality
- Good for concrete and masonry grinding
- Concrete edge beveling

STANDARD

Item #	Specs
AWS40S	4" Single Row, 7/8"-5/8"
AWS40S1-S	4" Single Row, 5/8"-11
AWS70S1-S	7" Single Row, 5/8"-11
AWD40S	4" Double Row, 7/8"-5/8"
AWD40S1-S	4" Double Row, 5/8"-11
AWD50S1-S	5" Double Row, 5/8"-11
AWD70S	7" Double Row, 7/8"-5/8"
AWD70S1-S	7" Double Row, 5/8"-11



CUP WHEELS

PREMIUM

Item #	Specs
AWS40P1-S	4" single row, 5/8"-11
AWS70P1-S	7" single row, 5/8"-11
AWD40P	4" double row, 7/8"-5/8"
AWD40P1-S	4" double row, 5/8"-11
AWD70P	7" double row, 7/8"-5/8"
AWD70P1-S	7" double row, 5/8"-11



TCW SERIES – SUPER TURBO GOLD CUP WHEEL



- Best quality
- Fast removal

Item #	Specs
TCW70-18P	7", 18 segments, 7/8"-5/8"
TCW70-18P1	7", 18 segments, 5/8"-11




TTAW SERIES – T-SEG CUP WHEEL



- Best quality
- T-Shape segments

Item #	Specs
TTAW40P	4", 7/8"-5/8"
TTAW40P1	4", 5/8"-11
TTAW70P	7", 7/8"-5/8"
TTAW70P1	7", 5/8"-11




AWR SERIES – ARROW CUP WHEEL



- Best Quality
- Aggressive segments design for coating removal

Item #	Specs
AWR70P1	7" x 5/8"-11, 10 segments



CUP WHEELS

PDRCW SERIES – PCD



- ¼ round PCD
- Good for thick epoxy coating removal
- Fast removal

Item #	Specs
PDRCW50-4H	5" PCD cup wheel, 4 PCD segments, 7/8"-5/8"
PDRCW70-6H	7" PCD cup wheel, 6 PCD segments, 7/8"-5/8"




GRINDING DISC

WGP SERIES



- 10 inch grinding disc
- Good for concrete removal and leveling
- Fits on EDCO, Husqvarna, and Blastrac

Item #	Specs
WGP100/10P	10" grinding disc head, 10 segments
WGP100/20P	10" grinding disc head, 20 segments




CT SERIES



- Good quality
- Continuous rim blade for ceramic and porcelain
- Wet cutting

Item #	Specs	Segment Height
CT40D	4" x .060" x 7/8"-5/8"	8mm
CT45D	4.5" x .060" x 7/8"-5/8"	8mm
CT50D	5" x .060" x 7/8"-5/8"	8mm
CT60X	6" x .060" x 5/8"	10mm
CT70X	7" x .060" x 5/8"	10mm
CT70C	7" x .060" x 5/8"	7mm
CT80X	8" x .060" x 5/8"	10mm
CT10X	10" x .060" x 5/8"	10mm
CT10C	10" x .060" x 5/8"	7mm
CT12X	12" x .080" x 1"	10mm




CT -P SERIES



- Best quality
- Continuous rim blade for ceramic and porcelain
- Fast cutting with minimum chipping
- Wet cutting

Item #	Specs	Segment Height
CT40DP	4" x .060" x 7/8"-5/8"	8mm
CT45DP	4.5" x .060" x 7/8"-5/8"	8mm
CT50DP	5" x .060" x 7/8"-5/8"	8mm
CT70XP	7" x .060" x 5/8"	10mm
CT70CP	7" x .060" x 5/8"	7mm
CT80XP	8" x .060" x 5/8"	10mm
CT10XP	10" x .060" x 5/8"	10mm
CT10CP	10" x .060" x 5/8"	7mm
CT12XP	12" x .080" x 1"	10mm
CT14XP	14" x .090" x 1"	10mm




TILE & STONE

CTR SERIES – RAZOR BLADE



- Best quality
- Laser cut slots to reduce vibrations during cutting
- Very fast cut with minimum chipping for porcelain and ceramic tiles
- Wet cutting

Item #	Specs	Segment Height
CTR40CP	4" x .060" x 5/8"	7mm
CTR70CP	7" x .060" x 5/8"	7mm
CTR80CP	8" x .060" x 5/8"	7mm
CTR10CP	10" x .060" x 5/8"	7mm
CTR10XP	10" x .060" x 5/8"	10mm




CT-RH SERIES



- Best quality
- Thin kerf Reinforced hub continuous rim blade
- Very fast cutting with minimum to no chipping on porcelain tiles
- Wet cutting

Item #	Specs	Segment Height
CT10XP-RH	10" x .048" x 5/8"	10mm




CTD SERIES – DRY CUTTING TILE



- Good quality
- Good for ceramic and porcelain tile
- Dry cutting

Item #	Specs	Segment Height
CTD45B	4.5" x .060" x 7/8"-5/8"	6mm
CTD50B	5" x .060" x 7/8"-5/8"	6mm
CTD70C	7" x .060" x DM7/8"-5/8"	7mm




CG SERIES – GLASS TILE BLADE



- Best quality
- Good for glass tile application
- Wet cutting

Item #	Specs	Segment Height
CG40C	4" x .060 x 7/8-5/8	7mm
CG70C	7" x .060 x 5/8	7mm
CG80C	8" x .060 x 5/8	7mm
CG10C	10" x .060 x 5/8	7mm




TGM SERIES – TURBO MESH



- Good quality
- Turbo mesh design for fast cooling
- Good for porcelain tiles, ceramic tiles, granite, & stone
- Dry and wet cutting
- Thin-kerf with Reinforced core

Item #	Description	Segment Height
TGM40X	4" x .048" x 7/8"-5/8"	10mm
TGM45X	4.5" x .048" x 7/8"-5/8"	10mm
TGM50X	5" x .048" x 7/8"-5/8"	10mm
TGM70X	7" x .060" x 7/8"-5/8"	10mm
TGM10X	10" x .060" x 5/8"	10mm




TG SERIES – TURBO GRANITE



- Good quality
- Dry and wet cutting for granite and stones

Item #	Specs	Segment Height
TG40XH	4" x .070" x 7/8"-5/8" w/ Flush Mount	10mm
TG45XH	4.5 x .070" x 7/8"-5/8" w/ Flush Mount	10mm
TG50XH	5" x .070" x 7/8"-5/8" w/ Flush Mount	10mm
TG60XH	6" x .080" x 7/8"-5/8" w/ Flush Mount	10mm
TG70XH	7" x .090" x DM7/8"-5/8" w/ Flush Mount	10mm
TG80XH	8" x .090" x DM7/8"-5/8"	10mm
TG14XH	14" x .125" x 1"-20mm	10mm



STONE CUP WHEEL

AWG SERIES



- Turbo cup wheel
- Good for granite and stone materials

Item #	Specs	Grits
AWG40F	4" x 5/8" -11	Fine
AWG40M	4" x 5/8" -11	Medium
AWG40C	4" x 5/8" -11	Coarse
AWG60F	6" x 5/8" -11	Fine
AWG60M	6" x 5/8" -11	Medium
AWG60C	6" x 5/8" -11	Coarse
AWG70F	7" x 5/8" -11	Fine
AWG70M	7" x 5/8" -11	Medium
AWG70C	7" x 5/8" -11	Coarse



GLITTER BIT – VACUUM BRAZED

GLITTER BIT



- Mortar joint clean out

Item #	Specs
Glitter bit	1/4" x 3.5"




NEW PRODUCT

LRC-B SERIES



- High quality vacuum brazed technology
- Design for rescue & demolition
- Side coating for smoother finish on metal application
- Great for ductile iron, steel, rebar, angle iron

Item #	Specs	Segment Height
LRC14B	14" x .125" x 1"-20mm	5mm




NEW PRODUCT

VIKING BLADE



- Most versatile diamond blade from soft and abrasives to hard materials
- Jumbo 15mm segments with 19mm undercut segments
- Alternating turbo segmented design for aggressive cutting

Item #	Specs	Segment Height
VIK14IH	14" x .125" x 1"-20mm	15mm w/ 19mm



Available designs and segments shapes

